

AJAX™ PNEUMATIC TOOLS AND ACCESSORIES

Catalogue

**AIR HAMMERS
ANGLE GRINDERS
CAULKING GUNS
DIE GRINDERS
DRILLS
ENGINE CLEANERS
GREASE GUNS
IMPACT WRENCHES
RATCHET WRENCHES
RIVETERS
SANDERS
SCREWDRIVERS
THREAD SETTING TOOLS**



**The Ajax™
Range Of Dynamic Air Tools**

**BALANCERS
MINI OILERS
NEEDLE SCALERS
FLUX CHIPPERS
SANDBLASTER KITS
SAWS
HOSE REELS
ENGRAVERS
ACCESSORIES**

Your Authorised Ajax™ Distributor

Drills

All with Jacobs Chucks

AT230

3/8" Cap Drill

Chuck Size: 3/8"
Free Speed: 2,200 rpm
Spindle Thread: 3/8" - 24 TPI
Net Weight: 0.91 kg
Overall Length: 177mm
Avg Air Cons: 4.0 CFM
Air Inlet: 1/4" NPT



AT252

3/8" Cap Drill

Reversible

Chuck Size: 3/8"
Free Speed: 2,000 rpm
Spindle Thread: 3/8" - 24 TPI
Net Weight: 0.91 kg
Overall Length: 177mm
Avg Air Cons: 4.0 CFM
Air Inlet: 1/4" NPT



AT237

1/2" Cap Drill

Reversible

Chuck Size: 1/2"
Free Speed: 800 rpm
Net Weight: 1.23 kg
Spindle Thread: 3/8" - 24 TPI
Overall Length: 215mm
Avg Air Cons: 4.0 CFM
Air Inlet: 1/4" NPT



Impact Wrenches

AT375

3/8" Square Drive

Straight Butterfly Control

Square Drive: 3/8"
Max Torque: 75 ft.lbs
101.70 Nm
Net Weight: 1.00 kg
Overall Length: 146mm
Avg Air Cons: 2.5 CFM
Air Inlet: 1/4" NPT



AT511

1/2" Square Drive

Square Drive: 1/2"
Max Torque: 230 ft.lbs
311.88 Nm
Net Weight: 1.98 kg
Overall Length: 185mm
Avg Air Cons: 4.0 CFM
Air Inlet: 1/4" NPT



AT600

3/4" Square Drive

Square Drive: 3/4"
Max Torque: 500 ft.lbs
678 Nm
Net Weight: 5.00 kg
Overall Length: 431mm
Avg Air Cons: 6.0 CFM
Air Inlet: 1/4" NPT



AT611

3/4" Impact Wrench

Twin Hammer

Square Drive: 3/4"
Max Torque: 1,100 ft.lbs
1,491.0 Nm
Net Weight: 5.00 kg
Overall Length: 216mm
Avg Air Cons: 12.0 CFM
Air Inlet: 3/8" NPT



AT513K

1/2" Square Drive Impact Wrench Kit

Kit Contains:
- 1 AT511
- Plastic case
- 1 1/4" Mini oiler
- 1 Ext. bar
- Impact sockets
9 to 27mm



Die Grinders

AT127

1/4" Die Grinder

(1/8" Collet Optional Extra)

Collet Size: 1/4"
Free Speed: 20,000 rpm
Net Weight: 0.59 kg
Overall Length: 174mm
Avg Air Cons: 4.0 CFM
Air Inlet: 1/4" NPT



AT127K

1/4" Die Grinder Kit

Kit Contains:
- 1 AT127
- Plastic case
- Hand wrench
- 1/8" Collet chuck
- 1/4" & 1/8" Mounted points
- 1/4" Male fitting



The Ajax™
Range Of Air Tools

AT18

1/4" Right Angle

Die Grinder

Collet Size: 1/4"
Free Speed: 18,000 rpm
Net Weight: 0.70 kg
Overall Length: 145mm
Avg Air Cons: 4.0 CFM
Air Inlet: 1/4" NPT



AT18K

1/4" Right Angle

Die Grinder Kit

Kit Contains:
- 1 AT18
- Plastic case
- 5pcs 1/4" Mounted points
- 5pcs 1/8" Mounted points
- Spanner wrench
- 1/8" Collet chuck
- 1/4" Male fitting



AT18K-29

1/4" Right Angle

Die Grinder Kit

Kit Contains:
- 1 AT18
- Plastic case
- 5 x 2" & 5 x 3" Sanding discs
- 10 x 1/4" & 1/8" Mounted Points
- Spanner wrench
- 1/8" Collet chuck
- 1/4" Male fitting
- 2 Pad holders
- 3" & 2" Roloc™ Pads



Screwdrivers

AT404

1,800 rpm Screwdriver

Reversible

Capacity: 6mm
Free Speed: 1,800 rpm
Drive: 1/4" Hex
Net Weight: 1.23 kg
Overall Length: 203mm
Avg Air Cons: 4.5 CFM
Air Inlet: 1/4" NPT



AT404-B

800 rpm Screwdriver

Reversible

Capacity: 8mm
Free Speed: 800 rpm
Drive: 1/4" Hex
Net Weight: 1.23 kg
Overall Length: 203mm
Avg Air Cons: 4.5 CFM
Air Inlet: 1/4" NPT



AT406

800 rpm Screwdriver

Capacity: 6mm
Free Speed: 1,100 rpm
Drive: 1/4" Hex
Net Weight: 1.20 kg
Overall Length: 180mm
Avg Air Cons: 5.0 CFM
Air Inlet: 1/8" NPT



Ratchet Wrenches



The Ajax™ Range Of Air Tools

AT378 3/8" Square Drive Ratchet Wrench

Square Drive: 3/8"
Max Torque: 20 ft.lbs
 27.12 Nm
Net Weight: 1.14 kg
Overall Length: 254mm
Avg Air Cons: 3.0 CFM
Air Inlet: 1/4" NPT



AT378K 3/8" Square Drive Ratchet Wrench Kit

Kit Contains:
 - 1 AT378
 - Plastic case
 - 1 Oil can
 - 1 Extension bar
 - 1 Universal adaptor
 - 1 Ext. bit holder
 - 3 Bits
 - 1 1/4" NPT male fitting
 - **Sockets:** 9mm, 11mm, 12mm, 13mm, 14mm, 17mm, 19mm



AT387 1/2" Square Drive Ratchet Wrench

Square Drive: 1/2"
Max Torque: 50 ft.lbs
 67.80 Nm
Net Weight: 1.14 kg
Overall Length: 254mm
Avg Air Cons: 4.0 CFM
Air Inlet: 1/4" NPT



AT387K 1/2" Square Drive Ratchet Wrench Set

Kit Contains:
 - 1 AT387
 - Plastic case
 - 1 Oil can
 - 1 Extension bar
 - 1 Universal adaptor
 - 1 Ext. bit holder
 - 3 Bits
 - 1 1/4" NPT male fitting
 - **Sockets:** 9mm, 11mm, 12mm, 13mm, 14mm, 17mm, 19mm



Sanders / Angle Grinder / Air Saw

AT764 6" Dual Action Sander

Free Speed: 9,000 rpm
Net Weight: 1.86 kg
Overall Length: 222mm
Avg Air Cons: 4.5 CFM
Air Inlet: 1/4" NPT



AT491 4" Angle Grinder

Disk Size: 4"
Free Speed: 11,000 rpm
Net Weight: 1.82 kg
Overall Length: 228mm
Avg Air Cons: 6.0 CFM
Air Inlet: 1/4" NPT



A 3" wire cup brush may be used with this angle grinder. Warning: The free speed of the Angle Grinder must not exceed the 'rated' speed of the wire brush being used.

The Ajax™ Range Of Air Tools

AT710 10mm Belt Sander

Belt Size: 10mm x 330mm
Belt Speed: 16,000 rpm
Net Weight: 0.90 kg
Avg Air Cons: 6.0 CFM
Air Inlet: 1/4" NPT



AT713 20mm Belt Sander

Belt Size: 20mm x 520mm
Belt Speed: 16,000 rpm
Net Weight: 0.90 kg
Avg Air Cons: 6.0 CFM
Air Inlet: 1/4" NPT



AT313 Air Saw

Cutting Cap. Mild Steel: 1.5mm
Aluminum: 3.2mm
Strokes Per Minute: 10,000
Net Weight: 0.65 kg
Avg Air Cons: 6.0 CFM
Air Inlet: 1/4" NPT



Scalers / Flux Chipper

AT121 "Mini" Needle Scaler

Bore Diameter: 18mm
Blows Per Min: 4,000
Stroke Length: 41mm
Net Weight: 1.30 kg
Overall Length: 289mm
Avg Air Cons: 5.0 CFM
Air Inlet: 1/4" NPT



AT281 Tamper/Needle Scaler

Bore Diameter: 19.05mm
Blows Per Min: 4,500
Stroke Length: 27mm
Net Weight: 2.82 kg
Overall Length: 469mm
Avg Air Cons: 5.0 CFM
Air Inlet: 1/4" NPT



AT132 Flux Chipper

Blow/Min: 4,600
Stroke Length: 28mm
Bore Diameter: 25.5mm
Net Weight: 1.70 kg
Overall Length: 300mm
Avg Air Cons: 6.0 CFM
Air Inlet: 1/4" NPT



Thread Setting Tools / Caulking Gun

AT801 Threadsetting Tool

Thread Size: M3 & M4
Free Speed: 2,200 rpm
Air Pressure: 90 psi
Min Hose Size: 3/8" or 10mm
Avg Air Cons: 5.0 CFM
Air Inlet: 1/4" NPT



AT802 Threadsetting Tool

Thread Size: M5 & M6
Free Speed: 1,500 rpm
Air Pressure: 90 psi
Min Hose Size: 3/8" or 10mm
Avg Air Cons: 5.0 CFM
Air Inlet: 1/4" NPT



AT803 Threadsetting Tool

Thread Size: M8 & M10
Free Speed: 400 rpm
Air Pressure: 90 psi
Min Hose Size: 3/8" or 10mm
Avg Air Cons: 5.0 CFM
Air Inlet: 1/4" NPT



AT203 Caulking Gun Metal Body

Bore x Tube Length: 50 x 216mm
Air Pressure: 30 - 60 psi
Overall Length: 304mm
Avg Air Cons: 6.0 CFM
Air Inlet: 1/4" NPT



Engine Cleaner | Engraver | Sand Blaster

AT906 Engine Cleaner Suction Type Comes with Hose

Type: Suction
Air Pressure: 90 psi
Air Inlet: 1/4" NPT



ATES03 Air Engraving Stylus

Net Weight: 0.24 kg
Overall Length: 160mm
Air Inlet: 1/4" NPT



AT909K Sand Blaster Kit - Lever Action - Nozzle Attachment

Diameter: 3/8"
Overall Length: 247mm
Avg Air Cons: 7.0 CFM
Air Inlet: 1/4" NPT
Kit Contains:
- Sandblaster Gun with
- 10" Siphon Hose
- Aspirator Tubes
- 3 Additional Air Nozzles
- Key Wrench and Packing



Riveters | Grease Gun | Air Hammers

AT105 3 Jaw Riveter

Blind Riveter Set
Capacity: 3/16" max
Net Weight
(Rivet Gun): 1.50 kg
Overall Length: 295mm
Avg Air Cons: 4.2 CFM
Air Inlet: 1/4" NPT
Nosepiece: 1/8", 5/32", 3/16"
Traction Power: 1.983 lbs
Rivet Sizes:
3/32", 1/8", 5/32", 3/16"
All Materials



AT103K

Blind Riv Set
Capacity: 3/16" max
Air Pressure: 90 psi
Net Weight
(Rivet Gun): 1.68 kg
Overall Length: 298mm
Avg Air Cons: 4.2 CFM
Air Inlet: 1/4" NPT
Rivet Sizes:
3/32", 1/8", 5/32" All Materials
3/16" Aluminium & Steel

Kit Contains:
- AT103 Riveter
- Plastic Carry Case
- 1 Valve Pusher Complete
- 1 Hose 5/16" Connection
- 1 Jaw Pusher Spring
- 2 Return Springs
- 1 Oiler, Blow Case, Joint Nut,
O-rings.
- Nosepiece: 3/32", 1/8", 5/32", 3/16"
- Rivets: 15pcs 3/32", 15pcs 1/8",
15pcs 5/32", 15pcs 3/16"
- Spanner Gauge (14mm, 17mm)
- Spanner (10mm, 15mm, 24mm)



AT900K Grease Gun Kit

- Air/Manual Operation
- Lever Action
Cartridge: 450g
Net Weight: 1.59 kg
Overall Length: 247mm
Avg Air Cons: 4.0 CFM
Air Inlet: 1/4" NPT

Kit Contains:
- Air Grease Gun
- Coupler 1/4" NPT
- Hexagonal Spout
- 9" High Pressure
Nylon Hose
- Lever Action Gun Head
- Container Tube Adaptor
- Air Nipple



The Ajax™ Range Of Air Tools

ATAH-15 Air Hammer Palm size vibrating hammer

Blow/Min: 1,000
Net Weight: 0.91 kg
Overall Length: 92mm
Avg Air Cons: 4.0 CFM
Air Inlet: 1/4" NPT



AT217 Air Hammer Complete with 4 Chisel Set

Shank Opening: 10.2mm
Blow/Min: 4,500
Bore Diameter: 19.05mm
Net Weight: 1.14 kg
Overall Length: 190mm
Avg Air Cons: 4.5 CFM
Air Inlet: 1/4" NPT



AT02 Air Hose Reel Balancer, 0.6 kg - 1.5 kg

Capacity: 0.6 - 1.5 kg
Work Air Pressure: 7 kg/cm²
Tube Length: 90 cm - 200 cm
Net Weight: 0.86 kg
Overall Length: 700mm
Air Inlet: 1/4" NPT



Accessories

AT31324 Saw Blades 24 TPI

AT31332 Saw Blades 32 TPI

AT31335 Saw Blades BI-FLEX 24 TPI



AT01 Spring Balancer, 0.6 kg - 1.5 kg

Capacity: 0.6 kg - 1.5 kg
Line Length: 1000mm
Net Weight: 0.5 kg



AT03 Spring Balancer, 1.5 kg - 3.0 kg

Capacity: 1.5 kg - 3.0 kg
Line Length: 1000mm
Net Weight: 0.5 kg



AT2310 Chisel Hammer Universal Retaining Spring



AT2311 Chisel Hammer Quick Change Retaining Spring



AT1025 Mini Oiler

- Air Inlet: 1/4" NPT
- Air Outlet: 1/4" NPT
- Brass Body



AT2281 Needles

- To Suit AT281
- Flat Needles
- Nineteen (19) per set



AT3137 Flexible Rubber Backing Pad

- 6 Sanding Pads
- Spindle: 5/16" x 24 TPI



FROM ENDEAVOUR TOOLS

WARRANTY: The equipment described in this brochure is warranted against defects in material or workmanship for a period of 90 days from the date of original purchase. The Warranty is void where physical abuse or lack of lubrication is evident. ALL SPECIFICATIONS IN THIS BROCHURE ARE APPROXIMATE AND SHOULD BE USED AS A GUIDE ONLY. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.