H.C.B-G1188

BMW (N55) TIMING TOOLS SET





IMPORTANT: READ THESE INSTRUCTIONS CAREFULLY.

- *Warning! Ensure Health and Safey,local authority and general work shop practice regulations are adhered to when using tools.
- **XDO NOT use tool if damaged.**
- *Maintain tool in good and clean condition for best and safest performance.
- WARNING! The warnings, caution and instructions referred to in this manual cannot cover all possible conditions and situations that may occur. It must be understand that common sense and caution are factors which cannot be built into this product , but must be applied by the operator.




Operating Instructions

H.C.B-G1188-1&6 BMW (N55) CAMSHAFT GAUGE



- $\hfill\Box$ This tool is used to lock to TDC when adjusting the valve timing.
- ☐ BMW OEM no. ref:114 281/282/285

H.C.B-G1188-2&5 BMW (N55) CAMSHAFT FIXING BASE



- $\hfill \square$ For disconnecting camshaft sensor gears.
- ☐ BMW OEM no. ref: 114 290


H.C.B-G1188-3 BMW (N55) PLUG MANDREL



- □ For locking flywheel in TDC position on BMW N51, N52, N52K, N53, N54,N55
- ☐ BMW OEM no. ref:110 300









- This tool for fixing the camshaft in TDC position used to dismantle and assemble intake and exhaust camshaft.
- Application: BMW N55