

SAFETY DATA SHEET ENDEAVOUR ULTRASONIC CLEANING POWDER

Date of Issue: Feb 2022

VERSION: 1.0

Page 1 of Total 8

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION				
Trade Name:	ENDEAVOUR ULTRASONIC CLEANING POWDER			
SUPPLIER:	ENDEAVOUR TOOLS PTY LTD	ENDEAVOUR TOOLS PTY LTD		
ADDRESS:	50 JELLICO DRV SCORESBYVIO	50 JELLICO DRV SCORESBYVIC 3179		
TELEPHONE:	03 9753 3800	FAX:	03 9753 3933	
EMERGENCY PHONE:	131126	ABN:	13006307213	
Substance:	Powder	Product Use:	Alkaline powder	
Creation Date:	February 2022	Revision Date:	February 2027	

SECTION 2 – HAZARDS IDENTIFIC	ATION		
Classification of the substance or	mixture		
Poisons Schedule	S5 (ALKALINE SALTS)		
Dangerous Goods	Classified as Dangerous Goods according to the Australian Code for the Transport of		
	Dangerous Goods by Road and Rail. CLASS 8 CORROSIVE		
GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and		
	labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.		
	Skin Corrosion/Irritation Category 1C		
	Serious Eye Damage/Irritation Category 1		
	Corrosive to Metals Category 1		
	Specific Target Organ Toxicity Category 3		
	Acute Toxicity Category 4 (Oral)		
	Acute Aquatic Toxicity – Category 3		
Label elements			
	GHS05 GHS07		
Signal word	DANGER		
Hazard statement(s)			
H314	Causes severe skin burns and eye damage.		
H318	Causes serious eye damage.		
H290	May be corrosive to metals.		
H335	May cause respiratory irritation.		
H302	Harmful if swallowed.		
H402	Harmful to aquatic life.		
Precautionary statement(s): Gen	eral		
P101	If medical advice is needed, have product container or label at hand.		
P102	Keep out of reach of children.		
P103			
Precautionary statement(s): Prev			



ENDEAVOUR ULTRASONIC CLEANING POWDER

Date of Issue: Feb 2022

VERSION: 1.0

Page 2 of Total 8

P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P234	Keep only in original packaging.		
P261	Avoid breathing dust/fume/ gas/mist/ vapours/spray.		
P271	Use only outdoors or in a well-ventilated area.		
P270	Do not eat, drink or smoke when using this product.		
P273	Avoid release to the environment.		
Precautionary statement(s): Resp	oonse		
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.		
P312	Call a POISON CENTER or doctor/physician if you feel unwell.		
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water		
	[or shower].		
P363	Wash contaminated clothing before reuse.		
P321	Specific treatment (use a skin moisturizer or barrier cream).		
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P310	Immediately call a POISON CENTER/doctor/		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if		
	present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER/doctor/		
P390	Absorb spillage to prevent material-damage.		
Precautionary statement(s): Storage			
P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
P405	Store locked up.		
P406	Store in corrosion resistant/container with a resistant inner liner.		
Precautionary statement(s): Disp	Precautionary statement(s): Disposal		
P501	Dispose of contents/ container in accordance with local regulations.		
Note			
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its		
	concentrated form, as supplied. When diluted to 1:50 or greater with water, they no		
	longer apply. However, good hygiene and housekeeping practices should be adhered to.		

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS		
Ingredients:	CAS Number:	Proportion:
Sodium carbonate	497-19-8	10 – 30 % w/w
sodium nitrite	7632-00-0	<1.0% w/w
Disodium metasilicate	6834-92-0	10 – 30 % w/w
Pine Oil	98-55-5	<10 % w/w
Ingredients determined to be non- hazardous at concentrations present.	various	To 100 % w/w

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS). Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.

SECTION 4 – FIRST AID MEASURES	
Inhalation	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.
Skin contact	Immediately wash contaminated skin with plenty of soap and water. Remove contaminated



ENDEAVOUR ULTRASONIC CLEANING POWDER

Date of Issue: Feb 2022

VERSION: 1.0

Page 3 of Total 8

	clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness persists.
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek immediate medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically.
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).
First Aid Facilities	Eyewash, safety shower and normal washroom facilities.

SECTION 5 – FIRE FIGHTING MEASURES		
Fire and Explosion		
Hazards	Non flammable solid.	
Extinguishing Media	Use an extinguishing media suitable for surrounding fires.	
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-	
	contained breathing apparatus if risk of exposure to products of combustion or decomposition.	
Flash Point	None	

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures Minor spills do not normally need any special clean-up measures. Rinse with water. In the event of a major spill, prevent spillage from entering drains or water-courses. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard and should be shoveled up or absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If required, neutralize with acid. If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.

SECTION 7 – HANDLING AND STORAGE		
Handling	Corrosive solid. Attacks skin and eyes. Causes burns. Avoid skin or eye contact with concentrate. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered. Launder contaminated clothing before re-use.	
Storage	Corrosive solid. Store in a cool dry well-ventilated area. Store away from oxidising agents and acids. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Provide a catch-tank in a bunded area. Store in original packages as approved by manufacturer. Ensure that storage conditions comply with applicable local and national regulations. Protect from freezing. For information on the design of the storeroom, reference should be made to Australian Standard AS 3780 The storage and handling of corrosive substances. Ensure that storage conditions comply with applicable local and national regulations.	



ENDEAVOUR ULTRASONIC CLEANING POWDER

Date of Issue: Feb 2022

VERSION: 1.0

Page 4 of Total 8

SECTION 8 – EXPOSURE C	ONTROLS AND PERSONAL PROTECTION
Exposure Limits	 National Occupational Exposure Limits, as published by National Occupational Health & Safety Commission: Time-weighted Average (TWA): None established for product. Short Term Exposure Limit (STEL): None established for product.
Ventilation	This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours/dusts away from workers' breathing zone. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn.
Personal Protective Equipment	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. The following protective equipment should be available;
Eye Protection	Safety glasses with full face shield should be used for handling concentrate in quantity, cleaning up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear gloves of impervious material such as butyl rubber, natural latex, neoprene, PVC and nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	Suitable protective workwear, e.g. rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.
Respirator	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Section 5 Thristere and chemicae rich entries			
Physical State	Powder	Colour	Straw/white
Odour	characteristic odour	Specific Gravity	Not available
Boiling Point	Not available	Freezing Point	Not available
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Not flammable	Flammable Limits	none
Water Solubility	Miscible in all proportions	рН	~12.5 @ 1% aqueous
Volatile Organic Compounds (VOC)	<2 % v/v	Per Cent Volatile	~ 20 % v/v
Viscosity	Not available	Odour Threshold	Not available

SECTION 10 – STABILITY AND REACTIVITY		
Reactivity	Stable at normal temperatures and pressure.	
Conditions to Avoid	Extremes of temperature and direct sunlight. Reacts vigorously with acids.	



ENDEAVOUR ULTRASONIC CLEANING POWDER

Date of Issue: Feb 2022

VERSION: 1.0

Page 5 of Total 8

Incompatibilities	ACIDS: violent reaction can occur, yielding heat and pressure, which can burst an enclosed container. Attacks many reactive metals (aluminium/magnesium/zinc alloys) releasing highly flammable gas (hydrogen), which generates fire or explosion hazards. Reacts slowly with ambient air (particularly carbon dioxide), which may cause certain insoluble salts top form in solutions
Hazardous	
Decomposition	Thermal decomposition may result in the release of toxic and/or irritating fumes.

SECTION 11 – TOXICOLOGI	CAL INFORMATION
POTENTIAL HEALTH EFFECT	rs
No adverse health effects e	xpected if the product is handled in accordance with this Safety Data Sheet and the product label.
Symptoms or effects that m	nay arise if the product is mishandled and overexposure occurs are:
Inhalation	Inhalation of mists or aerosols can produce mucous membrane and respiratory irritation. Exposure to high concentrations of the product in liquid form or as a mist may lead to possible harmful corrosive effects including lesions of the nasal septum, pulmonary oedema, pneumonitis and emphysema.
Skin contact	Corrosive to skin - may cause skin burns, severe irritation. Corrosion will continue until removed. Severity depends on the concentration and duration of exposure. Burns are not immediately painful; onset of pain may be minutes to hours.
Eye contact	Concentrated product causes severe eye irritation/damage. Eye contact with concentrate will cause stinging, blurring, tearing. Contact with concentrated product may cause serious eye damage.
Ingestion	Swallowing can result in nausea, vomiting of blood and eroded tissue; chemical burns of the mouth, throat & abdomen; perforation of the gastrointestinal tract.
Chronic exposure	Prolonged and repeated skin contact with diluted solutions may induce eczematoid dermatitis. Development of a defatting dermatitis on prolonged contact with potassium hydroxide has been reported.
Toxicology Information	Acute oral toxicity category 3. Oral LD50 (ATE calculated) : <2000 mg/kg (body weight)
Carcinogen Status	
NOHSC	No significant ingredient is classified as carcinogenic by NOHSC.
NTP	No significant ingredient is classified as carcinogenic by NTP.
IARC	No significant ingredient is classified as carcinogenic by IARC.
Respiratory sensitisation	Not expected to be a respiratory sensitizer.
Skin Sensitisation	Not expected to be a skin sensitizer.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	STOT category 3 – respiratory irritant.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.

SECTION 12 – ECOLOGICAL INFORMATION	
Acute Aquatic Toxicity	H402 - Harmful to aquatic life. LC50 > 10mg/L, but <100mg/L.
Product (as sold)	Acute Aquatic Toxicity (ATE Calculated) LC50: 15 - 35 mg/L.
	Acute Aquatic Toxicity Category 3.
	NOTE: The hazard of the substance for the environment is caused by the hydroxyl ion (pH
	effect). For this reason the effect of the substance on the organisms depends on the buffer
	capacity of the aquatic or terrestrial ecosystem. The high water solubility and low vapour
	pressure indicate that the substance will be found predominantly in water. Also the variation in
	acute toxicity for aquatic organisms can be explained for a significant extent by the variation in



ENDEAVOUR ULTRASONIC CLEANING POWDER

Date of Issue: Feb 2022

VERSION: 1.0

Page 6 of Total 8

	buffer capacity of the test medium.
Acute Aquatic Toxicity	Not harmful to aquatic life. LC50 > 100mg/L.
Product (at use dilution	Acute Aquatic Toxicity (ATE Calculated) LC50: 1500 – 3500 mg/L.
1:100 rinse)	Acute Aquatic Toxicity NOT HAZARDOUS
Persistence and degradability	Surfactants are biodegradable, based on ingredients.
Bio accumulative potential	No bioaccumulation is expected.
Mobility in soil	Due to its physico-chemical characteristics, highly mobile in the environment and will partition to the aquatic compartment.
Other adverse effects	Not available
Environmental Protection	Do not discharge this material into waterways.

SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

SECTION 14 – TRANSPORT INFORMATION	
Labels Required	
ADG	UN 1759 CORROSIVE SOLID, N.O.S. (DISODIUM METASILICATE)
	CORROSIVE 8
IMDG Marine Pollutant	No
HAZCHEM	2X
Land Transport (ADG)	
UN Number	1759
ADG Proper Shipping	CORROSIVE SOLID, N.O.S. (DISODIUM METASILICATE)
Name	
ADG Code Hazard Class	8
HAZCHEM Code	2X
Special Provisions	None allocated.
Packing Group	III
Packaging Method	None allocated.
IERG Number	37



ENDEAVOUR ULTRASONIC CLEANING POWDER

Date of Issue: Feb 2022

```
VERSION: 1.0
```

Page 7 of Total 8

Segregation	This material is classified as a Class 8 Corrosive Substances Dangerous Goods
	Class 8 Dangerous Goods are incompatible in a placard load with any of the following:
	- Class 1: Explosives
	- Division 4.3: Dangerous when wet Substances
	- Division 5.1: Oxidising substances
	- Division 5.2: Organic peroxides
	- Class 6, Toxic or Infectious Substances, if the Class 6 dangerous goods are cyanides and the
	Class 8 dangerous goods are acids
	Class 7: Radioactive materials unless specifically exempted
	and are incompatible with food and food packaging in any quantity.
	Strong acids must not be loaded in the same freight container or on the same vehicle with
	strong alkalis. Packing Group I and II acids and alkalis should be considered as strong.

SECTION 15 - REGULATORY	INFORMATION
GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and
	labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	S5
ADG Code	Class 8
AICS	All ingredients present on AICS.

SECTION 16 - OTHER INF	ORMATION
Issue Date	14 th February 2022
Version Number	V 1.0 GHS7 FIRST ISSUE
Abbreviations and	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.
acronyms	AICS: Australian Inventory of Chemical Substances.
	CAS Number: Chemical Abstracts Service Registry Number.
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	HAZCHEM: An emergency action code of numbers and letters which gives information to emergency
	services.
	HSIS: Hazardous Substances Information System
	IARC: International Agency for Research on Cancer.
	NOHSC: National Occupational Health and Safety Commission.
	NTP: National Toxicology Program (USA).
	SDS: Safety Data Sheet
	STEL: Short Term Exposure Limit.
	SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.
	TWA: Time Weighted Average.
	UN Number: United Nations Number.
Literature references	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)
	GHS Hazardous Chemical Information List (Safe Work Australia)
	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.
	Global Harmonized System of Classification and Labelling of Chemicals (GHS)
	"Australian Exposure Standards". Safework Australia
	Australian Code For The Transport Of Dangerous Goods By Road And Rail
	Standard for the Uniform Scheduling of Medicines and Poisons
	Material Safety Data Sheets – individual raw materials – Suppliers
Disclaimer	This MSDS summarizes at the date of issue our best knowledge of the health and safety hazard information of thi product, and in particular how to safely handle and use this product in the workplace. Since the supplier canno



anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.

End of SDS