



# THE BLACK RATTLER

## NEXT GENERATION AIR TOOLS

### 3/8" Impact Wrench

**RMAX-900**



**TWIN  
HAMMER**

## Specifications

- Working Torque: 25-250 ft. lbs / 34-338 Nm
- Max Applied Torque: 430 ft./lbs / 583Nm
- Free Speed: 12,000 RPM
- Weight: 2.73 lbs / 1.24 kg
- Avg Air Consumption: 4 cfm
- Air Inlet: 1/4"
- Length: 5-5/8 Inch



9 321280 360310



### Warning:

Rated RPM Of The Accessory Used Must  
Exceed The Maximum Tool RPM Shown



For safety, performance and maximum  
durability of parts DO NOT operate this  
tool above 90 PSI.

Lubricate the air  
motor daily with  
quality air tool oil

## Warranty Statement

Thank you for purchasing this Endeavour "Black Rattler" impact wrench. Endeavour Tools guarantees this impact wrench against defects in material and workmanship for a period of **24 months from date of purchase**.

- Endeavour Tools warrants the quality of these goods against defects in material and workmanship only.
- Defective goods shall only be replaced, repaired or the purchase price refunded if:
  - the customer notifies Endeavour Tools by providing a full report describing the defect in writing within 7 days of discovery of the defect; and
  - the notification above provided to Endeavour Tools is prior to the expiry of the warranty period; and
  - the customer forwards the defective goods together with proof of purchase from Endeavour Tools or its authorised distributor at their expense, within 14 days of any request by Endeavour Tools to do so; and
  - the goods since the date of delivery to the customer have been properly maintained, store and housed and the goods have not been abused or modified; and
  - Endeavour Tools determines that there is a defect due to faulty workmanship or the use of a defective material.
- Endeavour Tools may replace or repair the defective good (or part thereof) or refund the purchase price of the defective good at its option.
- Endeavour Tools shall not be responsible for any loss or damage arising from or in any way connected with the use of the goods.
- To the maximum extent permitted by law, a claim in respect to a defective good shall not be permitted in the event that the goods have not been installed, used, maintained, or housed in a proper and workmanlike manner or in accordance with the usual standards or manufacturers specifications or instructions or if the goods have been modified, repaired or altered by any person apart from Endeavour Tools.

Notwithstanding our warranty terms above, our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

The benefits under our warranty are in addition to other rights and remedies under a law in relation to the goods. Warranty provided by and warranty claims should be submitted to the address below.



**endeavourtools**  
Innovation - Performance - Quality

Endeavour Tools PTY LTD  
ABN 13 006 307 213

[sales@endeavourtools.com.au](mailto:sales@endeavourtools.com.au)  
[www.endeavourtools.com.au](http://www.endeavourtools.com.au)


Suite 1/2, 12-18  
Victoria Street East  
Lidcombe NSW 2141  
Phone: +61 3 9753 3800 Phone: +61 2 9646 4222  
Fax: +61 3 9753 3933 Fax: +61 2 9646 5399

# RMAX-900

## 3/8" Impact Wrench



**THE BLACK RATTLER**  
NEXT GENERATION AIR TOOLS



Index No.	Parts No.	Description	Index No.	Parts No.	Description
1	41-4114P01	Motor Housing	28	41-411428	Hammer Case
2	73102	Spring Pin (2x24)	29	OR03708106	O-Ring (37.8x1.6)
3	43-413403	Air Inlet	30	41-411434	Gasket
4	41-411404	Trigger	31	41-411435	Gasket
5	OR00400100	O-Ring (4x1)	32	41-401227	Washer
6	43-413406	Reverse Valve	33	41-401208	Hammer Cage
7	41-401207	Exhaust Diffuser	34	41-401211	Hammer (2)
9	41-411410R	Forward Button	35	41-401217	Hammer Pin (2)
10	41-411410L	Reverse Button		41-401202-11	Anvil (R-Type 3/8")
11	OR01705200	O-Ring (17.5x2)	*36	41-401202-12	Anvil (RH-Type 3/8")
12	RTW-17	Retaining Ring (RTW-17)		41-401202-13	Anvil (M-Type 3/8")
13	051838	Ball Bearing (6900zz)	37	OR00307108	O-Ring (3.68x1.78)
15	41-401215	Rotor	38	40103	Retaining Ring
16	41-401216	Rotor Blade (6)	39	OR01505275	O-Ring (15.5x2.75)
17	70117-13	Spring Pin (2.5x5)	41	OR01505206	O-Ring (3) (15.54x2.62)
18	41-411418	Cylinder	42	43-413447	Valve Spring
19	41-401219	Front End Plate	43	43-403348	Valve Stem
20	060313	Ball Bearing (6001zz)	44	43-413445	Rubber Spacer
21	41-411421	Air Regulator	45	73402	Spring Pin (2.5x22)
22	OR03200105	O-Ring (32x1.5)	46	41-411430	Screw (4) (M4x80)
23	43-403323	Spring	*47	75-725153	Muffler Material
24	5K-3011B25	Steel Ball (9/64")	*48	41-401251	Muffler Material
25	41-401225	Anvil Bushing	58	41-411461	Partition
26	41-401254	Oil Cap (1/8")	59	43-413450	Screw (TS2.2x10)
27	51217	Spring Pin (2x4)			